Shenzhen Stepup-Tech Co., Ltd.

Grid micro inverter APP setup

When do you try to connect the smart phone monitoring, please check whether the model you choose supports WiFi communication function, The factory machine does not support communication by default.

1. APP installation

Scan QR code to download APP - (Smart Life), or download 'Smart Life' in mobile APP shop and install APP of monitoring system (support Android and IOS system and multi language).








Add device


 Open the intelligent monitoring software "Smart Life" APP, after registering and logging in, click the Add Device icon, go to the device selection list and select the device you want to monitor.





Shenzhen Stepup-Tech Co., Ltd.

After device is selected, then enter into the Wifi network selection, input WiFi password
for network connection, press WiFi reset button for about 5 seconds until WiFi blue light
flash quickly, then tick the flash icon on phone to connect the device. (The phone blue
tooth is kept on, and disconnect from other devices)



When the device is added successfully, the green indicator light changes to solid on, This process takes between 10 and 60 seconds and is determined by the signal strength of the Wifi.





Shenzhen Stepup-Tech Co., Ltd.

3. Remote monitoring

When the inverter is successfully added, the inverter data can be checked through APP on the phone..





Notes: a). Only one device can be connected at once, and WiFi signal is 2.4G.

b). When the paired smart device is off line, the micro inverter can be connected to the other new device.